

SAFETY DATA SHEET

according to US Regulation 29 CFR 1910.1200 and the Canadian HPA

AB HARPOON GRANULAR AQUATIC HERBICIDE

Version 2.1 Revision Date 2020.11.12 Print Date 2021.01.28

SECTION 1. IDENTIFICATION

Commercial Product Name : Applied Biochemists

Product name : AB HARPOON GRANULAR AQUATIC HERBICIDE

Manufacturer or supplier's details

Company : Innovative Water Care, LLC

1400 Bluegrass Lakes Parkway

Alpharetta, GA

30004

Telephone : 1-800-511-6737 (Outside the USA: 1-423-780-2347)

E-mail address : sds@sigurawater.com

Emergency telephone number : 1-800-654-6911 (Outside the USA: 1-423-780-2970)

Recommended use of the chemical and restrictions on use

Recommended use : Water treatment chemical

SECTION 2. HAZARDS IDENTIFICATION

GHS Classification

Combustible dust : Category 1

Serious eye damage : Category 1

Carcinogenicity : Category 1A

GHS label elements

Hazard pictograms





Signal word : Danger

Hazard statements : May form combustible dust concentrations in air.

H318 Causes serious eye damage.

H350 May cause cancer.

Precautionary statements : **Prevention:**

Ref. / 000000024562 SDS_US / EN Page 1 (15)



Avoid dust formation.

P201 Obtain special instructions before use.

P202 Do not handle until all safety precautions have been read and understood.

P280 Wear protective gloves/ protective clothing/ eye protection/ face protection.

Response:

P305 + P351 + P338 + P310 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER/ doctor.

P308 + P313 IF exposed or concerned: Get medical advice/ attention.

Storage:

P405 Store locked up.

Disposal:

P501 Dispose of contents/container in accordance with local regulation.

Other hazards

None known.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture

Hazardous components

Chemical name / Synonyms	CAS-No.	Concentration (% w/w)
Cupriethylenediamine solution	13426-91-0	5 - 10
Silicon dioxide	14808-60-7	1 - 3

SECTION 4. FIRST AID MEASURES

General advice : Call a poison control center or doctor for treatment advice. For

24-hour emergency medical assistance, call Arch Chemical Emergency Action Network at 1-800-654-6911. Have the product container or label with you when calling a poison con-

trol center or doctor, or going for treatment.

If inhaled : IF INHALED: Move person to fresh air. If person is not breath-

ing, call 911 or an ambulance, then give artificial respiration, preferably mouth-to-mouth if possible. Call a poison control

center or doctor for further treatment advice.

Move to fresh air.

Consult a physician after significant exposure.

If unconscious, place in recovery position and seek medical

advice.

If breathing is irregular or stopped, administer artificial respira-



tion.

Keep respiratory tract clear.

In case of skin contact : IF ON SKIN OR CLOTHING: Take off contaminated clothing.

Rinse skin immediately with plenty of water for 15-20 minutes. Call a poison control center or doctor for treatment advice.

After contact with skin, wash immediately with plenty of soap

and water.

If on clothes, remove clothes,

In the case of skin irritation or allergic reactions see a physi-

cian.

In case of eye contact : IF IN EYES: Hold eye open and rinse slowly and gently with

water for 15-20 minutes. Remove contact lenses, if present, after the first 5 minutes, then continue rinsing eye. Call a poi-

son control center or doctor for treatment advice.

In the case of contact with eyes, rinse immediately with plenty

of water and seek medical advice.

Remove contact lenses. Protect unharmed eye.

Keep eye wide open while rinsing.

If swallowed : IF SWALLOWED: Call a poison control center or doctor im-

mediately for treatment advice. Have person sip a glass of water if able to swallow. Do not induce vomiting unless told to do so by a poison control center or doctor. Do not give any-

thing by mouth to an unconscious person.

Clean mouth with water and drink afterwards plenty of water. Never give anything by mouth to an unconscious person.

If symptoms persist, call a physician.

Most important symptoms and ef-

fects, both acute and delayed

No information available.

Notes to physician : Treat symptomatically.

SECTION 5. FIREFIGHTING MEASURES

Suitable extinguishing media : Use extinguishing measures that are appropriate to local cir-

cumstances and the surrounding environment.

Water spray

Alcohol-resistant foam

Dry chemical

Specific hazards during firefighting : Material will not ignite or burn.

Avoid generating dust; fine dust dispersed in air in sufficient



concentrations, and in the presence of an ignition source is a

potential dust explosion hazard. Heating or fire can release toxic gas.

Do not allow run-off from fire fighting to enter drains or water

courses.

Further information : Use water spray to cool unopened containers.

In case of fire, use normal fire-fighting equipment and the personal protective equipment recommended in Section 8 to include a NIOSH approved self-contained breathing appa-

ratus.

Use water spray to cool unopened containers.

Collect contaminated fire extinguishing water separately. This

must not be discharged into drains.

Special protective equipment for

firefighters

In the event of fire, wear self-contained breathing apparatus.

Use personal protective equipment.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures

: Use personal protective equipment.

Avoid dust formation.

In the case of respirable dust and/or fumes, use self-contained

breathing apparatus and dust impervious protective suit.

Remove all sources of ignition.

Prevent further leakage or spillage if safe to do so. Use personal protective equipment as required.

Evacuate personnel to safe areas.

Environmental precautions

If the product contaminates rivers and lakes or drains inform

respective authorities.

Methods and materials for contain-

ment and cleaning up

Pick up and arrange disposal without creating dust.

Shovel into suitable container for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and :

explosion

Avoid dust formation.

Provide appropriate exhaust ventilation at places where dust

is formed.

Take precautionary measures against static discharges.

Advice on safe handling : Do not take internally.

Avoid contact with skin, eyes and clothing.

Avoid breathing dust.

Avoid formation of respirable particles.

Do not breathe vapours/dust.



Avoid exposure - obtain special instructions before use.

Avoid contact with skin and eyes.

Smoking, eating and drinking should be prohibited in the ap-

plication area.

Provide sufficient air exchange and/or exhaust in work rooms. Dispose of rinse water in accordance with local and national

regulations.

Conditions for safe storage : Store in a cool, dry and well ventilated place. Isolate from

incompatible materials.

Keep container closed when not in use.

Avoid creating dusts.

Keep container tightly closed. Keep in a well-ventilated place.

Containers which are opened must be carefully resealed and

kept upright to prevent leakage.

Electrical installations / working materials must comply with

the technological safety standards.

To maintain product quality, do not store in heat or direct sun-

light.

Materials to avoid : Refer to Section 10, "Incompatible Materials."

Further information on storage sta-

bility

No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

Components	CAS-No.	Value type (Form of exposure)	Control parameters / Permissible concentration	Basis
Silicon dioxide	14808-60-7	(Respirable fraction.)		ACGIH
		TWA (Respirable fraction.)	0.025 mg/m3	ACGIH
		REL (Respir- able dust.)	0.05 mg/m3	NIOSH/GUIDE

Engineering measures

: Local exhaust ventilation or other engineering controls are normally required when handling or using this product to keep airborne exposures below the TLV, PEL or other recommended exposure limit.

It is recommended that all dust control equipment such as local exhaust ventilation and material transport systems in-



volved in handling of this product contain explosion relief vents or an explosion suppression system or an oxygen deficient environment.

Ensure that dust-handling systems (such as exhaust ducts, dust collectors, vessels, and processing equipment) are designed in a manner to prevent the escape of dust into the work area (i.e., there is no leakage from the equipment). Use only appropriately classified electrical equipment and powered industrial trucks.

Personal protective equipment

Respiratory protection

Wear a NIOSH approved respirator if levels above the exposure limits are possible.

A NIOSH approved air purifying respirator equipped with combination organic vapor and P100 prefilter. Air purifying respirators should not be used in oxygen deficient or IDLH atmospheres or if exposure concentrations exceed ten (10)

times the published limit.

In the case of dust or aerosol formation use respirator with an

approved filter.

Half mask with a particle filter P2 (EN 143)

Hand protection

Material : Nitrile rubber

Remarks : Impervious gloves butyl-rubber Neoprene

Wear protective gloves. Break through time: > 480 min

Eye protection : Use chemical goggles.

Safety glasses with side-shields conforming to EN166

Wear face-shield and protective suit for abnormal processing

problems.

Skin and body protection : Impervious clothing

butyl-rubber Neoprene

Choose body protection according to the amount and concentration of the dangerous substance at the work place.

Dust impervious protective suit

Protective measures : Use only in an area equipped with a safety shower.

Hygiene measures : Avoid contact with skin, eyes and clothing.

When using do not eat or drink. When using do not smoke.



SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : granular

Colour : purple

Odour : Slight amine

Odour Threshold : no data available

pH : 7.9 - 8.1

Melting point/freezing point : Not applicable

Boiling point/boiling range : Not applicable

Flash point : Not applicable

Evaporation rate : Not applicable

Flammability (solid, gas) : Product is not known to be flammable, combustible, pyrophor-

ic or explosive.

Flammability (liquids) : no data available

Self-ignition : no data available

Upper explosion limit : no data available

Lower explosion limit : no data available

Vapour pressure : no data available

Relative vapour density : Not applicable

Relative density : no data available

Density : no data available

Bulk density : 783 - 824 kg/m3

Water solubility : no data available

Partition coefficient: n-octanol/water : Not applicable

Auto-ignition temperature : no data available

Decomposition temperature : 392 °F / 200 °C

Viscosity, dynamic : no data available



Viscosity, kinematic : no data available

Explosive properties : no data available

Oxidizing properties : no data available

Minimum ignition energy : no data available

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Stable under normal conditions.

Stable under recommended storage conditions.

No hazards to be specially mentioned.

Conditions to avoid : Heat, flames and sparks.

Heat

Incompatible materials : Strong oxidizing agents

Acids

chlorinated compounds

Strong acids and strong bases

Oxidizing agents

Hazardous decomposition products : Risk of decomposition.

No decomposition if used as directed.

SECTION 11. TOXICOLOGICAL INFORMATION

Information on likely routes of expo:

sure

Inhalation, skin, eyes, ingestion

Acute toxicity

Acute oral toxicity : (Rat): 3,129 mg/kg

Acute inhalation toxicity : (Rat): > 2.10 mg/l

Exposure time: 4 h

Test atmosphere: dust/mist

Acute dermal toxicity : (Rat): > 5,000 mg/kg



Skin corrosion/irritation

Assessment: Mild skin irritation

Serious eye damage/eye irritation

Result: Severe eye irritation

Respiratory or skin sensitisation

Remarks: Not a Skin Sensitizer

Germ cell mutagenicity

Genotoxicity in vitro : Remarks: no data available

Carcinogenicity

Result: no data available Remarks: no data available

IARC Group 1: Carcinogenic to humans

Silicon dioxide 14808-60-7

OSHA Cancer hazard.

Silicon dioxide 14808-60-7

NTP Known to be human carcinogen

Silicon dioxide 14808-60-7

ACGIH Suspected human carcinogen

Silicon dioxide 14808-60-7

Reproductive toxicity

Effects on fertility : Remarks: no data available

STOT - single exposure

Remarks: no data available

STOT - repeated exposure

Remarks: no data available

Repeated dose toxicity

Remarks: There are no known or reported effects from chronic exposure.

Aspiration toxicity

No aspiration toxicity classification

Further information

Remarks: no data available



SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Toxicity to fish : Remarks: no data available

Persistence and degradability

no data available

Bioaccumulative potential

Bioaccumulation : Remarks: no data available

Components:

Silicon dioxide:

Partition coefficient: n-octanol/water : Remarks: no data available

Mobility in soil

Distribution among environmental

compartments

Remarks: no data available

Other adverse effects

Ozone-Depletion Potential : Regulation: US. EPA Clean Air Act (CAA) Section 602 Ozone-

Depleting Substances (40 CFR 82, Subpt. A, App A & B) Remarks: This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

Additional ecological information : An environmental hazard cannot be excluded in the event of

unprofessional handling or disposal.

Toxic to aquatic life with long lasting effects.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : As a nonhazardous solid waste it should be disposed of in

accordance with local, state and federal regulations.

Dispose of contents/container in accordance with local regula-

tion.

Contact waste disposal services. Do not dispose of waste into sewer.

The product should not be allowed to enter drains, water

courses or the soil.



Contaminated packaging : Dispose of as unused product.

Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

DOT

UN number : 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Cupriethylenediamine solution)

Transport hazard class: 9Packing group: IIILabels: 9Emergency Response Guidebook: 171

Number

Environmental hazards : yes

TDG

UN number : 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

(Cupriethylenediamine solution)

Transport hazard class: 9Packing group: IIILabels: 9Environmental hazards: yes

IATA

UN number : 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Cupriethylenediamine solution)

Transport hazard class : 9
Packing group : III
Labels : 9MI
Environmental hazards : yes

IMDG

UN number : 3077

Proper shipping name : Environmentally hazardous substance, solid, n.o.s.

(Cupriethylenediamine solution)

Transport hazard class: 9Packing group: IIILabels: 9EmS Number 1: F-AEmS Number 2: S-F

Environmental hazards : Marine pollutant: yes



ADR

UN number : 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

(Cupriethylenediamine solution)

Transport hazard class : 9
Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Environmental hazards : yes

RID

UN number : 3077

Proper shipping name : ENVIRONMENTALLY HAZARDOUS SUBSTANCE,

SOLID, N.O.S.

(Cupriethylenediamine solution)

Transport hazard class : 9
Packing group : III
Classification Code : M7
Hazard Identification Number : 90
Labels : 9
Environmental hazards : yes

Special precautions for user : none

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC

Code

: Not applicable

SECTION 15. REGULATORY INFORMATION

This chemical is a pesticide product registered by the United States Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets (SDS), and for workplace labels of non-pesticide chemicals.

EPA Registration number : 8959-55 Signal word : DANGER!

Hazard statements : Harmful if swallowed.

Corrosive - causes irreversible eye damage.

This pesticide is toxic to fish.

This pesticide is toxic to aquatic invertebrates.

EPCRA - Emergency Planning and Community Right-to-Know Act

CERCLA Reportable Quantity

This material does not contain any components with a CERCLA RQ.



SARA 304 Extremely Hazardous Substances Reportable Quantity

This material does not contain any components with a section 304 EHS RQ.

SARA 311/312 Hazards

See above: SECTION 2. Hazard Identification-GHS Classification

SARA 313

Components	CAS-No.	Concentration
Cupriethylenediamine solution	13426-91-0	5 - 10 %

Clean Air Act

This product neither contains, nor was manufactured with a Class I or Class II ODS as defined by the U.S. Clean Air Act Section 602 (40 CFR 82, Subpt. A, App.A + B).

This product does not contain any hazardous air pollutants (HAP), as defined by the U.S. Clean Air Act Section 112 (40 CFR 61).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 112(r) for Accidental Release Prevention (40 CFR 68.130, Subpart F).

This product does not contain any chemicals listed under the U.S. Clean Air Act Section 111 SOCMI Intermediate or Final VOC's (40 CFR 60.489).

This product does not contain any VOC exemptions listed under the U.S. Clean Air Act Section 450.

Clean Water Act

This product does not contain any Hazardous Chemicals listed under the U.S. CleanWater Act, Section 311, Table 117.3.

This product does not contain any Hazardous Substances listed under the U.S. CleanWater Act, Section 311, Table 116.4A.

This product contains the following toxic pollutants listed under the U.S. Clean Water Act Section 307

Components	CAS-No.	Concentration
Cupriethylenediamine solution	13426-91-0	5 - 10 %

US State Regulations

Massachusetts Right To Know

Components	CAS-No.
Kieselguhr, calcined	91053-39-3
Silicon dioxide	14808-60-7

Pennsylvania Right To Know



Components	CAS-No.
Kieselguhr, calcined	91053-39-3
Fuller's earth	8031-18-3
Cupriethylenediamine solution	13426-91-0

New Jersey Right To Know

Components	CAS-No.
Kieselguhr, calcined	91053-39-3
Fuller's earth	8031-18-3
Cupriethylenediamine solution	13426-91-0
Silicon dioxide	14808-60-7

California Prop. 65



WARNING Cancer - www.P65Warnings.ca.gov.

Components	CAS-No.
Silicon dioxide	14808-60-7

Canadian lists

NPRI

Components	CAS-No.
Cupriethylenediamine solution	13426-91-0

The components of this product are reported in the following inventories:

TSCA : This is an EPA registered pesticide.

SECTION 16. OTHER INFORMATION

Full text of other abbreviations

ACGIH : US. ACGIH Threshold Limit Values

NIOSH/GUIDE : US. NIOSH: Pocket Guide to Chemical Hazards, as amended

AICS - Australian Inventory of Chemical Substances; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials



Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association: NO(A)EC - No Observed (Adverse) Effect Concentration: NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR -(Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH -Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Arch is a wholly-owned subsidiary of Lonza and continues to operate as Arch Chemicals, Inc. Revision Date : 2020.11.12

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text.

Date format : yyyy/mm/dd

US / EN